



*...towards a prosperous future together*

**ST/ICT/EDR/03/21 - TENDER FOR SUPPLY, IMPLEMENTATION, INTEGRATION AND POST IMPLEMENTATION SUPPORT OF ENDPOINT DETECTION AND RESPONSE.**

7<sup>th</sup> March, 2021.

**ADDENDUM 1:**

We make the following clarifications and amendments to the principal tender document (hereafter abbreviated as the PTD) for Supply, Implementation, Integration and Post Implementation Support of Endpoint Detection and Response (EDR) Solution.

**1. RELATIONSHIP WITH THE PRINCIPAL TENDER DOCUMENT**

Save where expressly amended by the terms of the addendum, the PTD shall continue to be in full force and effect. The provisions of this addendum shall be deemed to have been incorporated in and shall be read and construed as part of the PTD.

**2. AMENDMENTS AND CLARIFICATIONS**


No.	REQUESTED CLARIFICATION	STIMA DT SACCO RESPONSE
1.	<p>As per highlighted excerpt , The installation of the solution will be done on 350 endpoint devices including but not limited to laptops, desktops, network devices and servers.</p> <p>would you kindly advise on the number of servers so we can quote for the same.</p>	<p>The number of servers is 40 servers with an additional 10 to cater for growth, hence totaling to 50 servers.</p>

All other Terms and conditions remain as per the principal tender document.

Yours faithfully.

FOR:STIMA DT SACCO SOCIETY LIMITED

**HENRY MUSAU**  
**SUPPLY CHAIN MANAGER**



ACKNOWLEDGEMENT OF ADDENDUM NO.1.

We, the undersigned hereby certify that the addendum is an integral part of the document and has been incorporated in the tender proposal.

Signed.....

Tenderer.....

Date.....